

Rigaud

f. 77.



J. P. Bigand
April 1888

Regard, 77

Radcliffe Observatory
Oxford.

Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.



Fig. 5.




Fig. 6.



Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11.



PHILOSOPHICAL
A M U S E M E N T S;
OR,
EASY AND INSTRUCTIVE
R E C R E A T I O N S
FOR
YOUNG PEOPLE.

THE THIRD EDITION, CORRECTED AND IMPROVED.

L O N D O N :

PRINTED FOR J. JOHNSON, NO. 72, ST. PAUL'S CHURCH-YARD,
AND B. TABART; BOND-STREET.

1807.

PRICE ONE SHILLING AND SIXPENCE.





Printed by E. Hemsted, Great New Street, Fetter Lane.

P R E F A C E

IT is generally allowed, by those who have had the care and education of youth, that the most effectual method of engaging their attention, to any particular branch of knowledge, is to render it familiar and entertaining, by representing to them, as often as possible, some of it's most curious and interesting properties. Thus the mind, which is naturally fond of novelty, and delighted with new acquisitions, is insensibly led to more important pursuits, and not unfrequently receives a bent, which is productive of the most solid advantages through life.

IN order that young people may be provided with proper amusements for their leisure hours, the Editor of the present performance has been induced to make a short

collection of the most curious Experiments and Recreations, in various branches of science, and to render them as easy and perspicuous as possible. With this view, such only have been chosen, as appeared most likely to afford pleasure and information; and the whole is methodized and arranged in such a manner, as it is presumed will be found perfectly satisfactory and commodious.

CON.

A CATALOGUE of BOOKS composed for Children and young Persons, and generally used in the principal Schools and Academies in England.

Printed for J. JOHNSON, No. 72, St. Paul's-church-yard.

1. AN INTRODUCTION TO READING and SPELLING, written on a new Plan, by the Rev. J. HEWLETT. Fourth Edition. Price 1s.
2. A Little SPELLING BOOK for Young Children, by Mrs. TRIMMER. Price 6d.
3. EASY LESSONS, a Sequel to the above, by the same. Price 6d.
4. Mrs. BARBAULD'S LESSONS FOR CHILDREN, from Two to Four Years of Age, 4 Parts. 6d. each, or 2s. 6d. bound together.
5. HYMNS for CHILDREN, by Mrs. BARBAULD. 1s.
6. Dr. WATTS'S SONGS for the Use of CHILDREN, revised and altered; with PRAYERS for the Use of CHILDREN, by a LADY. Second Edition. Price 6d. stitched, or bound neatly with Mrs. BARBAULD'S HYMNS for CHILDREN, 2s.
7. Dr. WATTS'S SONGS, revised and altered, so as to render them of general Use, with Wood Cuts. To which are added, a short CATECHISM and PRAYERS. Price 6d. bound in embossed Paper.
8. AN INTRODUCTION to the KNOWLEDGE of NATURE and Reading: the Holy Scriptures, by Mrs. TRIMMER. Price 2s. bound.
9. FABULOUS HISTORIES; teaching the proper Treatment of Animals. By the same. Price 2s. bound.
10. L'AMI DES ENFANS, par M. BERQUIN, complete in 4 Volumes, with Frontispieces. Price 14s. bound.
11. The CHILDREN'S FRIEND, being a Translation of the above, complete in 4 Volumes, with Frontispieces. Price 12s. bound.
12. SELECT STORIES for the Instruction and Improvement of CHILDREN, selected from the above. Price 3s. bound.
13. ORIGINAL STORIES, from real Life; with Conversations between Mrs. MASON and her young People, calculated to regulate the Affections, and form the Mind to Truth and Goodness. Price 2s. bound.

BOOKS for the Use of Children,

14. **THE CATECHISM OF NATURE**, by Dr. MARTINET, Professor of Philosophy at Zutphen. Translated from the Dutch, by the Rev. JOHN HALL. Price 1s.

15. **THE CALENDAR OF NATURE**, by Dr. AIKIN. 1s.

16. **EVENINGS AT HOME**, by the same. 6 Vols. 9s.

17. **THE NATURAL HISTORY OF BIRDS**; containing a Variety of Facts selected from several Writers, and intended for the Amusement and Instruction of Children. Illustrated with a great Number of Copper-plates. In 3 Vols. 1l. 1s.

18. **YOUNG GRANDISON**. A Series of Letters from young People to their Friends. Translated from the Dutch of Mad. CAMBONE, 2 Vols. 12mo. Price 6s. bound.

19. **THE ART OF DRAWING AND PAINTING IN WATER COLOURS**, with Cuts. Fifth Edition. Price 1s.

20. **THE ART OF DRAWING IN PERSPECTIVE**, for the Use of such as are Strangers to Mathematics. To which is added, the Art of Painting upon Glass, and Drawing in Crayons; also the Art of Etching and Japanning, with Cuts. The Fourth Edition. Price 1s.

21. **THE ART OF WRITING**: containing Directions for Writing, and Copper-plate Copies of all the Hands now in Use; very useful to those who have not the Instruction of a Master. By A. SERLE. Price 1s.

22. **GEOGRAPHY FOR CHILDREN**: or, a short and easy Method of teaching and learning Geography; whereby Children may, in a short Time, be taught the Use of the Terrestrial Globe, and Geographical Maps; and gain a Knowledge of all the considerable Countries in the World, their Situation, Boundaries, Extent, Division, Rivers, chief Cities, Government, and Religion. Translated from the French of Abbot Langlet du Fresnoy. Fourteenth Edition, corrected to the present Time. With a Table of the Latitude and Longitude of principal Places. Price 1s. 6d.

23. **GEOGRAPHICAL EXERCISES**, with Maps, by R. HARRISON.

24. **THE SCHOLAR'S GUIDE TO ARITHMETIC**, by J. BONNYCASTLE, Mathematical Master, at the Royal Academy Woolwich. Fifth Edition. Price 2s. bound.

" In Pursuance of his Plan of Writing a Book for the Use of

and Young Persons.

Schools, the Author has been very careful to make all his Definitions and Rules as concise as possible, consistent with Simplicity and Clearness; and to exemplify those Rules with such Examples as are most likely to occur in Business. He has also shewn with great Clearness and Perspicuity, the Reason of each Rule in Notes; and in this Part of his Work, Mr. B. has shewn great Ingenuity and Judgment.

“By confining every Thing of this Nature to the Notes, the Author has been enabled to keep his Text free from long Explanations, so that nothing is found there, but what the Learner ought to transcribe, and fix in his Memory; a Matter which seems to have been too much neglected by most of those Authors, who have undertaken to write on the Subject of Arithmetic for the Use of Schools. On the whole, we shall not hesitate to declare, that we think this little Book will be found very useful both to the Teacher and Learner.” Vide MONTHLY REVIEW.

25. HUDSON'S NEW INTRODUCTION TO TRADE and BUSINESS: containing Forms of Receipts, Promissory Notes, Bills of Exchange, Bills of Parcels, &c. also Commercial and Epistolary Correspondence, List of Abbreviations, Arithmetical Tables and Questions, &c. &c. Price 1s. 6d.

26. CHAPMAN'S Writing-Master's and Scholar's Mutual Assistant. Price 2s.

27. INSTITUTES OF ENGLISH GRAMMAR, comprizing,
1. The different Kinds, Relations, and Changes of Words,
2. Syntax, or the right Construction of Sentences, with Exercises of true and false Construction, by R. HARRISON. Second EDITION. Price 1s.

“This is one of the easiest and most concise Compendiums of English Grammar we have seen, and seems particularly adapted to the Purpose of teaching young Children this useful Branch of Learning.” Vide MONTHLY REVIEW.

28. A FATHER'S INSTRUCTIONS: consisting of Moral Tales, Fables, and Reflections, designed to promote a Love of Truth, a Taste for Knowledge, and an early Acquaintance with the Works of Nature By THOMAS PERCIVAL, M. D. Price 4s.

29. MORAL AND LITERARY DISSERTATIONS, ON,
1. Truth and Faithfulness. 2. On Habit and Association.
3. On Inconsistencies of Expectation in literary Pursuits.

BOOKS for the Use of Children, &c.

4. On a Taste for the general Beauties of Nature. 5. On a Taste for the fine Arts, &c. Chiefly intended as a Sequel to A FATHER'S INSTRUCTIONS. By the same. Price 5s.

30. **THE SPEAKER ; OR MISCELLANEOUS PIECES** selected from the best English Writers, and disposed under proper Heads, with a View to facilitate the Improvement of Youth in reading and speaking, as well as to lead young Persons into some Acquaintance with the most valuable Writers, and impress upon their Minds Sentiments of Honour and Virtue. To which is prefixed, Essays on Elocution, and on Reading Works of Taste. By W. ENFIELD, LL. D. Lecturer on the Belles Lettres, in the Academy at Warrington. Price 3s. 6d.

31. **EXERCISES** in Elocution; selected from the best Authors, being a sequel to the Speaker. By the same. Price 3s. 6d.

32. **THE FEMALE READER : OR Miscellaneous Pieces** in Prose and Verse; selected from the best Writers, and disposed under proper Heads, upon the same Plan as the SPEAKER. For the Instruction of Young Women. By M. CRESSWICK. To which is prefixed, a Preface, containing some Hints on Female Education. Price 4s. bound.

33. **THE ADVENTURES OF TELEMACHUS.** Price 3s. 6d. bound.

34. The same in French. Price 3s. 6d. bound.

35. The same in French and English, 2 Vols. 7s. bound.

36. **ENGLAND DELINEATED :** or a Geographical Description of every County in England and Wales; with a concise Account of its most important Products, natural and artificial. For the Use of young Persons. By J. AIKIN, M. D. *With Outline Maps of the Counties of England.* Price 7s. bound.

37. **THE STUDENT'S POCKET DICTIONARY ; OR Compendium of Universal History, Chronology, and Biography,** from the earliest Accounts to the present Time, with Authorities. In Two Parts. Part I. containing a Compendium of Universal History; Part II. a Compendium of universal Biography. By THO. MORTIMER, Esq. The Second Edition, with considerable Emendations and Additions. Price 4s. bound.

C O N T E N T S.

I. A Person having an even Number of Counters in one Hand, and an odd Number in the other, to tell in which Hand each of them is	Page 1
II. A Person having fixed on a Number in his Mind, to tell him what Number it is	2
III. To tell the Number a Person has fixed upon, without asking him any Questions	3
IV. A curious Recreation, usually called the Blind Abbess and her Nuns	5
V. Any Number being named, to add a Figure to it which shall make it divisible by 9	6
VI. A Person having made Choice of several Numbers, to tell him what Number will exactly divide the Sum of those which he has chosen	7
VII. To find the Difference between any two Numbers, the greater of which is unknown	8
VIII. A Person striking a Figure out of the Sum of two given Numbers, to tell him what that Figure was	9
IX. By knowing the last Figure of the Product of two Numbers, to tell the other Figures	10
X. A curious Recreation with a hundred Numbers, usually called the Magical Century	11
XI. Two Dice being thrown, to find the Number of Points on each Die, without seeing them	12
XII. To find the Number of Deals a Person may play at the Game of Whist, without holding the same Cards twice	13
XIII. To tell by the Dial of a Watch, at what Hour any Person intends to rise	14
XIV. Thirty Soldiers having deserted, so to place them in a Ring, that you may save any 15 you please, and it shall seem the Effect of Chance	15
XV. Three Persons having each chosen privately one out of three Things, to tell them which they have chosen	17
XVI. To tell the Number of Pips upon any two Cards, which a Person shall draw from a whole Pack	18
XVII. To discover the Number of Pips on any Number of Cards which a Person has privately taken from the whole Pack	19

- XVIII. Several Cards being shown to different Persons, that each of them may choose one, to name that which each Person has fixed on 20
- XIX. A curious Trick upon the Cards, called the Ten Duplicates 21
- XX. A Number of Names being written on several Cards, to tell the particular Name which any Person has thought on 22
- XXI. To place nine Cards in three Ranks, so that all the Pips of each Rank, taken either lengthwise, breadthwise, or diagonally, may make the same Sum 25
- XXII. How to part an Eight-gallon Bottle of Wine equally between two Persons, using only two other Bottles, one of five Gallons, and the other of three 27
- XXIII. A Quantity of Eggs being broken, to find how many there were, without remembering the Number 28
- XXIV. To find the least Number of Weights that will weigh from one Pound to forty 29
- XXV. How to discover whether a Piece of Money be good or bad 30
- XXVI. To break a Stick which rests upon two Wine Glasses, without injuring the Glasses ib.
- XXVII. A Number of Metals being mixed together in one Mass, to find the Quantity of each of them 31
- XXVIII. To make a mutual Exchange of the Liquor in two Bottles, without using any other Vessel 32
- XXIX. How to make a Peg that will exactly fit three different Holes 33
- XXX. To place three Sticks, or Tobacco-pipes, upon a Table, in such a Manner, that they may appear to be unsupported by any Thing but themselves ib.
- XXXI. How to prevent a heavy Body from falling, by adding another heavier Body to it, on that side towards which it inclines 34
- XXXII. To make a false Balance, that shall appear perfectly just, when empty, or when loaded with unequal Weights 35
- XXXIII. How to lift up a Bottle with a Straw, or any other light Substance ib.

- XXXIV. How to make a Cone or Pyramid move upon a Table without Springs or any other artificial Means 36
- XXXV. To make a Pen, which holds one hundred Sheep, hold double the Number, by only adding two Hurdles more - - - - - ib.
- XXXVI. To make a Person choose any Card you please, and to tell him the Card he has chosen - - - - - 37
- XXXVII. To discover any Card in the Pack by it's Weight or Smell - - - - - ib.
- XXXVIII. A Trick on the Cards, called the Two Convertible Aces - - - - - 38
- XXXIX. A curious Trick of Legerdemain, called the Two Convertible Coins. - - - - - ib.
- XL. An ingenious Recreation called the two Commu- cative Buffs - - - - - 39
- XLI. Another Recreation of the same Kind, called the Oracular Head - - - - - 40
- XLII. How to make a Piece of Metal, or any other heavy Body, swim upon the Surface of Water, like a Cork - - - - - 41
- XLIII. A curious Experiment, to prove that Two and Two do not make Four - - - - - 42
- XLIV. An ingenious Method of Secret Writing, by Means of corresponding Spaces - - - - - 43
- XLV. A curious Experiment, which depends on an Optical Illusion - - - - - 44
- XLVI. A curious Experiment, of nearly the same Kind as the last, called Optical Augmentation - - - - - 45
- XLVII. Another curious Experiment, called Optical Subtraction - - - - - ib.
- XLVIII. An Optical Experiment, showing how to pro- duce an artificial Rainbow - - - - - 46
- XLIX. A curious Optical Illusion, produced by Means of a concave Mirror - - - - - 47
- L. How to make a violent Tempest, by Means of arti- ficial Rain and Hail - - - - - 49
- LI. How to read Letters written in arbitrary Characters, called Ciphers - - - - - 50
- LII. A curious Hydraulic Experiment, called the Magical Bottle - - - - - 53

LIII. Another Hydraulic Experiment, called the Miraculous Vessel	54
LIV. A curious Hydraulic Experiment, called Tantalus's Cup	55
LV. A curious Chymical Experiment, called the Tree of Diana	56
LVI. A remarkable Experiment, called Prince Rupert's Drops	57
LVII. How to make Sympathetic Inks of various Kinds	ib.
LVIII. A curious Recreation with Sympathetic Ink, called the Book of Fate	62
LIX. A curious Recreation, called the Transcolored Writing	63
LX. An Experiment with Sympathetic Ink, called the Oracular Letters	ib.
LXI. An Experiment with Sympathetic Ink, called winter changed to Spring	64
LXII. A remarkable Experiment, called the Revivified Rose	65
LXIII. How to write on Glafs, by Means of the Rays of the Sun	ib.
LXIV. To produce different Colours, by pouring a colourless Liquor into a clean Glafs	66
LXV. To produce a Colour which appears and disappears by the Influence of the Air	ib.
LXVI. To turn a colourless Liquor Black, by adding a White Powder to it	67
LXVII. A curious Pyrotechnical Experiment with Liquid Phosphorus	ib.
LXVIII. Another Pyrotechnical Experiment, by Means of Fulminating Powder	68
LXIX. A curious Experiment, made by Mr. Symmer, on the Electricity of Silk Stockings	69

SELECT RECREATIONS.

* I.

A Person having an even Number of Counters in one Hand, and an odd Number in the other, to tell in which Hand each of them is.

DESIRE the person to multiply the number in his right hand by three, and the number in his left by two.

Bid him add the two products together, and tell you whether the sum be odd or even.

If it be even, the even number is in the right hand; but if it be odd, the even number is in the left hand.

EXAMPLE I.

No. in right hand.	No. in left hand.
18	7
3	2
<hr style="width: 50%; margin: 0 auto;"/>	<hr style="width: 50%; margin: 0 auto;"/>
54	14
54	
14	
<hr style="width: 50%; margin: 0 auto;"/>	
68 sum of the products.	

EXAMPLE II.

No. in right hand.	No. in left hand.
7	18
3	2
<hr style="width: 50%; margin: 0 auto;"/>	<hr style="width: 50%; margin: 0 auto;"/>
21	36
36	
21	
<hr style="width: 50%; margin: 0 auto;"/>	
57 sum of the products.	

B

A Person having fixed on a Number in his Mind, to tell him what Number it is.

BID him quadruple the number thought on, or multiply it by 4, and having done this, desire him to add 6, 8, 10, or any even number you please, to the product; then let him take the half of this sum, and tell you how much it is; from which, if you take away half the number you desired him at first to add to it, there will remain the double of the number thought on.

EXAMPLE.

Suppose the number thought on is	- - -	5
The quadruple of it is	- - - - -	20
8 added to the product is	- - - - -	28
And the half of this sum is	- - - - -	14
4 taken from this leaves	- - - - -	10

therefore 5 was the number thought on.

Another Method of discovering a Number thought on.

After the person has fixed on a number, bid him double it, and add 4 to that sum; then let him multiply the whole by 5, and to that product add 12; desire him also to multiply this sum by 10, and after having deducted 302 from the product, to tell you the remainder, from which, if you cut off the last two figures, the number that remains will be the one thought on.

EXAMPLE.

Let the number thought on be	- -	7
Then the double of this is	- - - -	14

And 4 added to it makes	- - - -	18
This multiplied by 5 is	- - - -	90
And 12 added to it is	- - - -	102
And this multiplied by 10 is	- - - -	1020
From which deducting	- - - -	302
There remains	- - - -	718

which by striking off the last two figures gives 7 the number thought on.

✕ III.

To tell the Number a Person has fixed upon, without asking him any Questions.

THE person having chosen any number in his mind, from 1, to 15, bid him add 1 to it, and triple the amount. Then

1. If it be an even number, let him take the half of it, and triple that half; but if it be an odd number, he must add 1 to it, and then halve it, and triple that half.

2. In like manner let him take the half of this number, if it be even, or the half of the next greater, if it be odd; and triple that half.

3. Again, bid him take the half of this last number, if even, or of the next greater, if odd; and the half of that half in the same way; and by observing at what steps he is obliged to add 1 in the halving, the following table will show the number thought on:

1—0—0	-	4—8
2—0—0	-	13—5
3—0—0	-	3—11

1—2—0	-	2—10
1—3—0	-	8—0
1—2—3	-	6—14
2—3—0	-	1—9
0—0—0	-	15—7

Thus, if he be obliged to add 1 only at the first step, or halving, either 4 or 8 was the number thought on; if there were a necessity to add 1 both at the first and second steps, either 2 or 10 was the number thought on, &c.

And which of the two numbers is the true one may always be known from the last step of the operation; for if 1 must be added before the last half can be taken, the number is in the second column, or otherwise in the first, as will appear from the following examples:

Suppose the number chosen to be	- - -	9
To which if we add	- - - - -	1
The sum is	- - - - -	10
Then the triple of that number is	-	30
1. The half of which is	- - - -	15
The triple of 15 is	- - - - -	45
* 2. And the half of that is	- - -	23
The triple of 23 is	- - - - -	69
* 3. The half of that is	- - - -	35
And the half of that is	- - - - -	18*

From which it appears that it was necessary to add 1 both at the second and third steps, or halvings, and therefore by the table the number thought on is either 1 or 9.

And as the last number was obliged to be augmented

by 1 before the half could be taken, it follows also, by the above rule, that the number must be in the second column; and consequently it is 9.

Again, suppose the number thought on to be	6
To which if we add	1
The sum is	7
Then the triple of that number is	21
*1. The half of which is	11
The triple of 11 is	33
*2. And the half of that is	17
The triple of 17 is	51
*3. The half of that is	26
And the half of that half is	13

From which it appears that it was necessary to add 1 at all the steps, or halvings, 1, 2, 3, therefore, by the table, the number thought on is either 6 or 14.

And as the last number required no augmentation before it's half could be taken, it follows also, by the above rule, that the number must be in the first column; and consequently it is 6.

IV.

A curious Recreation, usually called the Blind Abbess and her Nuns.

A BLIND abbess visiting her nuns, who were 24 in number, and equally distributed in 8 cells, built at the four corners of a square, and in the middle of each side, finds an equal number in every row, containing three cells. At a second visit, she finds the same number

of persons in each row as before, though the company was increased by the accession of four men. And coming a third time, she still finds the same number of persons in each row, though the four men were then gone, and had each of them carried away a nun with them.

Fig 1.

3	3	3
3		3
3	3	3

Fig. 2.

2	5	2
5		5
2	5	2

Fig. 3.

4	1	4
1		1
4	1	4

Let the nuns be first placed as in fig. 1. 3 in each cell; then when the four men have gotten into the cells, there must be a man placed in each corner, and two nuns removed thence to each of the middle cells, as in fig. 2; in which case there will evidently be still nine in each row; and when the four men are gone, with the four nuns with them, each corner cell must contain four nuns, and every other cell one, as in fig. 3; it being evident, that in this case also, there will still be nine in a row, as before.

V.

Any Number being named, to add a Figure to it, which shall make it divisible by 9.

ADD the figures together in your mind, which compose the number named; and the figure which must be added to this sum, in order to make it divisible by 9, is the one required.

Suppose, for example, the number named was 8654; you find that the sum of it's figures is 23; and that 4 being added to this sum will make it 27; which is a number exactly divisible by 9.

You therefore desire the person who named the number 8654, to add 4 to it, and the result, which is 8658, will be divisible by 9, as was required.

This recreation may be diversified, by your specifying, before the sum is named, the particular place where the figure shall be inserted, to make the number divisible by 9; for it is exactly the same thing, whether the figure be put at the end of the number, or between any two of it's digits.

VI.

A Person having made Choice of several Numbers, to tell him what Number will exactly divide the Sum of those which he has chosen.

PROVIDE a small bag, divided into two parts; into one of which put several tickets, numbered 6, 9, 15, 36, 63, 120, 213, 309, or any others you please that are divisible by three, and in the other part put as many different tickets marked with the number 3 only.

Draw a handful of tickets from the first part, and, after showing them to the company, put them into the bag again; and having opened it a second time, desire any one to take out as many tickets as he thinks proper.

When he has done this, open privately the other part of the bag, and tell him to take out of it one ticket only.

You may then pronounce, that this ticket shall contain the number by which the amount of the other numbers is divisible; for, as each of these numbers is some multiple of 3, their sum must evidently be divisible by that number.

This recreation may also be diversified, by marking the tickets in one part of the bag with any numbers which are divisible by 9, and those in the other part of the bag with the number 9 only; the properties of both 9 and 3 being the same; or if the numbers in one part of the bag be divisible by 9, the other part of the bag may contain tickets marked both with 9 and 3, as every number divisible by 9 is also divisible by 3.

* VII.

To find the Difference between any two Numbers, the greater of which is unknown.

TAKE as many nines as there are figures in the less number, and subtract the one from the other.

Let another person add that difference to the larger number; and then, if he take away the first figure of the amount, and add it to the remaining figures, the sum will be the difference of the two numbers, as was required.

Suppose, for example, that Matthew, who is twenty-two years of age, tells Henry, who is older, that he can discover the difference of their ages.

He privately deducts 22, his own age, from 99, and the difference, which is 77, he tells Henry to add to his age, and to take away the first figure from the amount.

Then if this figure, so taken away, be added to the remaining ones, the sum will be the difference of their ages, as for instance :

The difference between Matthew's	}	
age and 99, is - - - - -	}	77
To which Henry adding his age -		35

The sum will be - - - - -		112
And 1, taken from 112, gives - -		12
Which being increased by - - - -		1

Gives the difference of the two ages -		13
And this added to Matthew's age - -		22

Gives the age of Henry, which is - -		35

* VIII.

A Person striking a figure out of the Sum of two given Numbers, to tell him what that Figure was.

SUCH numbers must be offered as are divisible by 9; such, for instance, as 36, 63, 81, 117, 126, 162; 207, 216, 252, 261, 306, 315, 360, and 432.

Then let a person choose any two of these numbers, and after adding them together in his mind, strike out any one of the figures he pleases, from the sum.

After he has done this, desire him to tell you the sum of the remaining figures; and that number which you are obliged to add to this amount, in order to make it 9, or 18, is the one he struck out.

For example, suppose he chose the numbers 126; and 252, the sum of which is 378.

Then, if he strike out 7 from this amount, the remaining figures, 3 and 8, will make 11; to which, 7 must be added to make 18.

If he strike out the 3, the sum of the remaining figures, 7 and 8, will be 15; to which three must be added, to make 18: and so, in like manner, for the 8.

IX.

By knowing the last Figure of the Product of two Numbers, to tell the other Figures.

If the number 73 be multiplied by each of the numbers in the following arithmetical progression, 3, 6, 9, 12, 15, 18, 21, 24, 27, the products will terminate with the nine digits, in this order, 9, 8, 7, 6, 5, 4, 3, 2, 1; the numbers themselves being as follows, 219, 438, 657, 876, 1095, 1314, 1533, 1752, and 1971.

Let therefore a little bag be provided, consisting of two partitions, into one of which put several tickets, marked with the number 73; and into the other part, as many tickets numbered 3, 6, 9, 12, 15, 18, 21, 24, and 27.

Then open that part of the bag which contains the number 73, and desire a person to take out one ticket only; after which, dexterously change the opening, and desire another person to take a ticket from the other part.

Let them now multiply their two numbers together, and tell you the last figure of the product, and you will readily determine, from the foregoing series, what the remaining figures must be.

Suppose, for example, the numbers taken out of the bag were 73, and 12; then, as the product of these two numbers, which is 876, has 6 for it's last figure, you will readily know that it is the fourth in the series, and that the remaining figures are 87.

x.

A curious Recreation with a hundred Numbers, usually called the Magical Century.

If the number 11 be multiplied by any one of the nine digits, the two figures of the product will always be alike, as appears from the following example:

11	11	11	11	11	11	11	11	11
1	2	3	4	5	6	7	8	9
11	22	33	44	55	66	77	88	99

Now, if another person and yourself have fifty counters apiece, and agree never to stake more than ten at a time, you may tell him, that if he will permit you to stake first, you will always undertake to make the even century before him.

In order to this you must first stake one, and, remembering the order of the above series, constantly add to what he stakes as many as will make one more than the numbers 11, 22, 33, &c., of which it is composed, till you come to 89; after which, the other party cannot possibly make the even century himself, or prevent you from making it.

If the person who is your opponent have no know-

ledge of numbers, you may stake any other number first, under 10, provided you afterwards take care to secure one of the last terms, 56, 67, 78, &c. : or you may even let him stake first, provided you take care afterwards to secure one of these numbers.

This recreation may be performed with other numbers; but, in order to succeed, you must divide the number to be attained, by a number which is an unit greater than what you can stake each time; and the remainder will then be the number you must first stake. Suppose, for example, the number to be attained is 52, (making use of a pack of cards instead of counters,) and that you are never to add more than six; then dividing 52 by 7, the remainder, which is 3, will be the number you must stake first; and whatever the other stakes, you must add as much to it as will make it equal to 7, the number by which you divided; and so on.

* XI.

Two Dice being thrown, to find the Number of Points on each Die, without seeing them.

AFTER any person has thrown two dice, upon a table, bid him double the number of points on one of them, and add 5 to it; then let him multiply this sum by 5, and add the number of points on the other die to it. This being done, desire him to tell you the sum, and having thrown out of it 25, the remainder will be a number consisting of two figures, the first of which, to the left, is the number of points on the first die,

and the second figure, to the right, the number on the other.

Suppose, for example, that the number of points of the first die which comes up, is 2, and that of the other 3; then if to 4, the double of the points of the first, there be added 5, and the sum, which is 9, be multiplied by 5, the product will be 45; to which if we add 3, the number of the points on the other die, it will make 48. Then, if 25 be thrown out of this number, the remainder is 23; the first figure of which, 2, is the number of points of the first die, and the second figure, 3, the number of the other.

XII.

To find the Number of Deals a Person may play at the Game of Whist, without holding the same Cards twice.

IN all combinations, if from an arithmetical decreasing series, the first term of which is the number out of which the combinations are to be formed, and the common difference of which is 1, there be taken as many terms as there are quantities to be combined, and these terms be multiplied into each other; and if from the series 1, 2, 3, 4, &c., there be taken the same number of terms, and these be multiplied into each other; the quotient arising from the division of the first product by the second, will be the number of combinations required.

Now as the number of cards played with at whist amounts to 52, and of these 13 are dealt to each per-

son, we are to find how many different combinations of 13 can be formed out of 52. Conformably to the rule, therefore, multiply 52 severally by 51, 50, 49, and so on to 41, which will give 3954242643911239680000 for the product. Then multiply 1, 2, 3, &c., to 13, into each other, and the product will be 6227020800. The former product being divided by the latter will give 635013559600 for a quotient, which is the number of different ways 13 cards may be taken out of 52, and consequently the number required.

A question, something similar to this, though much more difficult to be resolved, is, to determine the number of fifteens that may be made, as in the game of cribbage, out of a common pack of 52 cards, which is found, by computation, to be no less than 17264.

XIII.

To tell by the Dial of a Watch, at what Hour any Person intends to rise.

DESIRE the person to set the hand of the dial to any hour he pleases, to which number, when he has informed you what it is, add in your mind 12.

After this, tell him to call the hour the index stands at that which he has fixed upon; and by reckoning backwards from this number to the former, it will bring him to the hour required.

EXAMPLE.

SUPPOSE the hour at which he intends to rise be 8, and that he has placed the hand at 5.

Then, adding 12 to 5, you bid him call the hour at which the index stands, the number on which he

thought; and by reckoning back from this number to 17, it will bring him to 8, the hour required.

This recreation may also be performed as follows: let 12 cards be placed in a circular order as in fig. 1, so that an ace may correspond with A, a duce with B, and so on to L and H, the first of which must be a queen, and stand for 11, and the second a king, and stand for 12; having done this, so that you can recollect the situation of the cards, desire any person to put his hand on one of them, and think on the hour at which he intends to rise; then, adding 12 to the number of this card, in your mind, bid him count backwards, from the hour he thought on, to this number, and he will come to a card, which, being turned up, shows the number required.

* XIV.

Thirty Soldiers having deserted, so to place them in a Ring, that you may save any 15 you please, and it shall seem the Effect of Chance.

THIS recreation is usually proposed thus: 15 christians and 15 turks being in a ship at sea, in a violent tempest, it was deemed necessary to throw half the number of persons overboard, in order to disburden the ship, and save the rest; to effect this, it was agreed to be done by lot, in such a manner, that the persons being placed in a ring, every ninth man should be cast into the sea, till one half of them were thrown overboard. Now the pilot, being a christian, was desirous of saving those of his own persuasion: how

ought he therefore to dispose the crew, so that the lot might always fall upon the turks?

This question may be resolved by placing the men according to the numbers annexed to the vowels in the words of the following verse;

l'ours, fae, and apte even in all the arti
 Po-pu-le-am Jir-gam Ma-ter Re-gi-na fe-re-bat
 4 5 2 1 3 1 1 2 2 3 1 2 2 1

from which it appears, that you must place four of those you would save first; then five of those you would punish. After this, two of those to be saved, and one to be punished; and so on. When this is done, you must enter the ring, and beginning with the first of the four men you intend to save, count on to nine; and turn this man out to be punished; then count on, in like manner, to the next ninth man, and turn him out to be punished; and so on for the rest.

It is reported that Josephus, the author of the Jewish History, escaped the danger of death by means of this problem; for being governor of Joppa, at the time that it was taken by Vespasian, he was obliged to secrete himself with thirty or forty of his soldiers in a cave, where they made a firm resolution to perish by famine rather than fall into the hands of the conqueror; but being at length driven to great distress, they would have destroyed each other for sustenance, had not Josephus persuaded them to die by lot, which he so ordered, that all of them were killed except himself and another, whom he might easily destroy, or persuade to yield to the romans.

Three Persons having each chosen privately one out of three Things, to tell them which they have chosen.

LET the three things, for instance, be a ring, a guinea, and a shilling, and let them be known privately to yourself by the vowels *a, e, i*, of which the first, *a*, signifies one, the second, *e*, two, and the third, *i*, three.

Then take 24 counters, and give the first person 1, which signifies *a*, the second 2, which represent *e*, and the third 3, which stand for *i*; then, leaving the other counters upon the table, retire into another room, and bid him who has the ring take as many counters from the table as you gave him; he that has the guinea, twice as many, and he that has the shilling four times as many.

This being done, consider to whom you gave one counter, to whom two, and to whom three; and as there were only twenty-four counters at first, there must necessarily remain either 1, 2, 3, 5, 6, or 7 on the table; or otherwise they must have failed in observing the directions you gave them.

But if either of these numbers remain, as they ought, the question may be resolved by retaining in your memory the six following words:

Salve certa anima femita vita quies.

1. 2. 3.* 5. 6. 7.

As for instance, suppose the number that remained was 5; then the word belonging to it is *femita*; and

as the vowels in the first two syllables of this word, are *e* and *i*, it shows, according to the former directions, that he to whom you gave two counters has the ring, he to whom you gave three counters the gold, and the other person, of course, the silver, it being the second vowel which represents 2, and the third which represents 3.

* XVI.

To tell the Number of Pips upon any two Cards, which a Person shall draw from a whole Pack.

THE small cards are to be reckoned according to the number of their pips, and each pictured card for ten. This being agreed upon, let the person add as many more cards to each of those he has drawn, as will make up it's number 25. Then take the remaining cards in your hand, and seeming to search for some particular card, tell them over privately to yourself, and their number will be the amount of the two cards drawn.

For example; suppose the person had drawn a 10 and a 7; he must then add 15 cards to the first, to make the number 25; and 18 to the last, for the same reason. Then as 15 and 18 make 33, and the two cards themselves 35; if this be deducted from 52, the number of the whole pack, it will leave 17, which must be the number of the remaining cards, and also of the two cards drawn.

This recreation may be performed without your touching the cards, thus:—let the person who has drawn two cards deduct the numbers of each of them

from 26, and after adding the remainders together, desire him to tell you the amount, which you privately deduct from 52, and the remainder will be the amount of the two cards.

But as the number 26 may lead to a discovery of the principle, on account of it's being half the pack, you may take any other number between 10 and 26 at pleasure, as for instance, 24; then if you add 4, which is the double of the two you took from the 26, to the remainder, the difference between that sum and 52 will be the amount of the two cards, as before, and in this way you may diversify the recreation every time it is repeated.

* XVII.

To discover the Number of Pips on any Number of Cards which a Person has privately taken from the whole Pack.

It is first to be agreed that the ace shall be 1, the court cards 10 each, and the others according to their number of pips.

* Then desire any one to choose as many cards as he thinks proper out of the whole pack, and over each of them to put as many other cards as will make the number of it's points 12.

After this, take the remaining part of the pack in your hand, and seeming to look for some card among them, count how many there are, and that amount, if the number of parcels taken were 4, will be the number of points on the three bottom cards. If the number of parcels exceed 4, add 13 to the remaining cards

for each parcel above 4 ; if it be less than four, subtract from the cards remaining 13 for each parcel less than 4.

EXAMPLE.

SUPPOSE the person had chosen a 7, a 10, and an ace.

Then over the 7, he must place 5 cards ; over the 10, 2 ; and over the ace, 11.

After this, he gives you the remaining part of the pack, which you find consists of 31 cards.

From this 31, therefore, you deduct 13, and the remainder, 18, is the number of pips upon all the bottom cards.

XVIII.

Several Cards being shown to different persons, that each of them may choose one, to name that which each Person has fixed on.

THERE must be as many different cards shown to each person as there are persons to choose ; so that if there be three persons, you must show to each of them three cards ; and telling the first to retain one of them in his memory, you then lay those three cards down, and show three others to the second person ; and so to the third.

This being done, take up the first person's cards, and lay them down one by one, separately, with their faces uppermost. You next place the second person's cards over those of the first ; and, in like manner, the third person's cards over those of the second ; so that in each parcel, there may be one card belonging to each person.

Having done this, ask each of them in which parcel his card is, and when he has informed you, you may immediately know which card it is; for the first person's card will always be the bottom one, the second person's the middle card, and the third person's the uppermost one, in that parcel where each says his card is.

This recreation may be performed with a single person, by letting him fix on three, four, or more cards; in which case you must show him as many parcels as he is to choose cards, and every parcel must consist of that number, out of which he must fix on one; the rest of the process being then as above.

X XIX.

A curious Trick upon the Cards, called the Ten Duplicates.

TAKE twenty cards, and after any one has shuffled them, lay them down by pairs, upon the table, with their faces uppermost.

Then desire several persons to fix their minds on different pairs, and remember of what cards they are composed.

You then take up all the cards in the same order you laid them down; and place them again, one by one, on the board, according to the order of the letters in the following table; beginning with the last card, which you will place at the beginning of the first row, the next card you will place so as to stand in the middle of the third row, the third card the second in

the first row, the fourth card the fourth in the same row, the fifth in the middle of this row, the sixth at the end of the second row, and so on.

M	U	T	U	S
D	E	D	I	T
N	O	M	E	N
R	O	R	I	S

Then, by asking each person which row, or rows, the cards he chose are in, you will be able to point them out, by only remembering the words of the above sentence, and the order of the letters of which they are composed.

Thus, for example, if he say they are in the first row, you know that they must be the second and fourth cards, because the letter u occurs twice in that line.

If he say one is in the second row, and the other in the fourth, they must be the fourth cards of those rows; as is obvious from the recurrence of the letter I; and so of any other pair.

XX.

A Number of Names being written on Several Cards, to tell the particular Name which any Person has thought on.

TAKE eight cards, and write eight different names on each of them, observing only, that the last name on each card must begin with one of the letters of the

word DISCOVER, which letters, in the order they stand, answer to the Nos 1, 2, 3, 4, 5, 6, 7, 8.

On eight other cards, write the same names, with this restriction, that the first name, on each of them, must be taken from that card of the other parcel, the last name of which begins with D, the second name from that of which the last name begins with I, and so on.

Then let any one choose a card out of the first eight, and, after he has fixed on a name, give it to you again; when you must carefully note the last name on it, and retain the number answering to the letter it begins with in your mind.

You then take the other eight cards, and, after shuffling them, show them to the person, one by one, and desire him to look for the name he has chosen.

When he says he has found it, you must look for that name which is the same in number from the top with the number of the card he took from the other parcel, and it will be the name he fixed on.

Thus, for example, suppose he took out the card that had the word Orpheus at the bottom of it, which, according to the order of the letters in the word DISCOVER, is the fifth; then whatever word he fixed upon (Hebe for instance) must necessarily be the fifth upon the card on which it is found in the other parcel.

Order of the Words in the first Eight Cards.

Corydon	Pomona	Arachne	Pyramus
Andromeda	Ariadne	Deucalion	Polyhymnia
Silenus	Danae	Galatea	Circe
Acis	Narcissus	Thetis	Psyche
Proteus	Hercules	Nifus	Cassandra
Thyrsis	Philomela	Ganymede	Adonis
Flora	Calista	Cephalus	Icarus
<u>Daphnis</u>	<u>Jafon</u>	<u>Semele</u>	<u>Ceres</u>
Iphigenia	Aëteon	Homer	Virgil
Procris	Sappho	Polypheme	Priam
Thïsbe	Alcinous	Æneas	Andromache
Diana	Ulysses	Hesiod	Euryalus
Hebe	Atys	Cupid	Helen
Endymion	Proserpine	Telemachus	Pandora
Medusa	Dryope	Venus	Troilus
<u>Orpheus</u>	<u>Vertumnus</u>	<u>Æson</u>	<u>Rhadamanthus</u>

Order of the Words in the last Eight Cards.

Corydon	Andromeda	Silenus	Acis
Pomona	Ariadne	Danae	Narcissus
Arachne	Deucalion	Galatea	Thetis
Pyramus	Polyhymnia	Circe	Psyche
Iphigenia	Procris	Thïsbe	Diana
Aëteon	Sappho	Alcinous	Ulysses
Homer	Polypheme	Æneas	Hesiod
<u>Virgil</u>	<u>Priam</u>	<u>Andromache</u>	<u>Euryalus</u>
Proteus	Thyrsis	Flora	Daphnis
Hercules	Philomela	Calista	Jafon
Nifus	Ganymede	Cephalus	Semele
Cassandra	Adonis	Icarus	Ceres
Hebe	Endymion	Medusa	Orpheus
Atys	Proserpine	Dryope	Vertumnus
Cupid	Telemachus	Venus	Eson
<u>Helen</u>	<u>Pandora</u>	<u>Troilus</u>	<u>Rhadamanthus</u>

Instead of eight cards, you may, by adding duplicates to each, have sixteen in each parcel, which will make the recreation appear the more mysterious, without in the least embarrassing it, as you have nothing to remember but the last name on each card. Or, instead of names, you may write questions on one parcel, and answers on the other.

To place nine Cards, in three Ranks, so that all the Pips of each Rank, taken either lengthwise, breadthwise, or diagonally, may make the same Sum.

4	9	2
3	5	7
8	1	6

TAKE an ace of any suit, and the next eight cards in order, and place them as in the figure; and they will be distributed as required.

This is called a magic square, from the great veneration it was held in by the Egyptians, and other eastern nations, who attributed many virtues to numbers disposed in this way. But, as they are now considered only as ingenious recreations, another instance or two of this kind will be sufficient.

The first twenty-five numbers, disposed in the form of a magic square, so that the sum of any rank shall be 65, is shown in the following figure:

11	24	7	20	3
4	12	25	8	16
17	5	13	21	9
10	18	1	14	22
23	6	19	2	15

Again, the first 100 numbers disposed in the form of a magic square, so that the sum of any rank shall be 505, is thus :

10	92	93	7	5	96	4	98	99	1
11	19	18	84	85	86	87	13	12	90
71	29	28	77	76	75	24	23	22	80
70	62	63	37	36	35	34	68	69	31
41	52	53	44	46	45	47	58	59	60
51	42	43	54	56	55	57	48	49	50
40	32	33	67	65	66	64	38	39	61
30	79	78	27	26	25	74	73	72	21
81	89	88	14	15	16	17	83	82	20
100	9	8	94	95	6	97	3	2	91

There are several methods of filling up magic squares, but there is no one easier than the following, for any odd number of terms in the arithmetical progression, 1, 2, 3, 4, &c. Place the least term, 1, in the cell immediately under the middle, or central one, and the rest of the terms, in their natural order, in a descending diagonal direction, till they run off, either at the bottom or on the side. When the number runs off at the bottom, carry it to the uppermost cell, that is unoccupied, of the same column as it would have fallen in below, and then proceed descending diagonal-

wise again as far as you can, or till the numbers either run off at bottom or side, or are interrupted by arriving at a cell already filled. Now when any number runs off at the right-hand side, bring it to the farthest cell on the left-hand of the same row or line it would have fallen in towards the right-hand; and when the progress diagonalwise is interrupted by meeting with a cell already occupied by some other number, then descend diagonally to the left from this cell till you meet with an empty one, where enter it, and thence proceed as before. Both the squares of odd numbers here given are filled up in this method.

XXII.

How to part an Eight Gallon Bottle of Wine equally between two Persons, using only two other Bottles, one of Five Gallons, and the other of Three.

THIS question is usually proposed in the following manner: A certain person having an eight gallon bottle filled with excellent wine, is desirous of making a present of half of it to one of his friends; but as he has nothing to measure it out with but two other bottles, one of which contains five gallons, and the other three, it is required to find how this may be accomplished.

In order to answer the question, let the eight gallon bottle be called A, the five gallon bottle B, and the three gallon C; then, if the liquor be poured out of one bottle into another, according to the manner denoted in either of the two following

C B

examples, the proposed conditions will be answered.

8	5	3	8	5	3
A	B	C	A	B	C
8	0	0	8	0	0
3	5	0	5	0	3
3	2	3	5	3	0
6	2	0	2	3	3
6	0	2	2	5	1
1	5	2	7	0	1
1	4	3	7	1	0
4	4	0	4	1	3

XXIII.

A Quantity of Eggs being broken, to find how many there were, without remembering the Number.

AN old woman, carrying eggs to market in a basket, met an unruly fellow, who broke them. Being taken before a magistrate, he was ordered to pay for them, provided the woman could tell how many she had; but she could only remember, that in counting them into the basket by twos, by threes, by fours, by fives, and by sixes, there always remained one; but in counting them in by sevens, there were none remaining. Now, in this case, how was the number to be ascertained?

This is the same thing as to find a number, which being divided by 2, 3, 4, 5, and 6, there shall remain 1, but being divided by 7, there shall remain nothing; and the least number, which will answer the condi-

tions of the question, is found to be 301, which was therefore the number of eggs the old woman had in her basket.

XXIV.

To find the least Number of Weights that will weigh from One Pound to Forty.

THIS problem may be resolved by means of the geometrical progression, 1, 3, 9, 27, 81, &c. the property of which is such, that the last number is twice the sum of all the rest, and one more; so that the number of pounds being forty, which is also the sum of 1, 3, 9, 27, these four weights will answer the purpose required.

Suppose it was required, for example, to weigh eleven pounds by them: you must put into one scale the one-pound weight, and into the other the three and nine-pound weights, which, in this case, will weigh only eleven pounds, in consequence of the one-pound weight being in the other scale; and therefore, if you put any substance into the first scale, along with the one-pound weight, and it stand in equilibrio with the 3 and 9 in the other scale, you may conclude it weighs eleven pounds.

In like manner, to find a fourteen-pound weight, put into one of the scales the one, three, and nine-pound weights, and into the other that of twenty-seven pounds, and it will evidently outweigh the other three by fourteen pounds; and so on for any other weight.

How to discover whether a piece of Money be good or bad.

TAKE another piece of the same metal, of equal weight with the former, and tye both of them with a piece of thread, or a horse-hair, to scales of an exact balance, so that the two pieces may fall into a vessel of water. Then, if they be of equal goodness, they will be perfectly in equilibrio in the water, as well as in the air; but if the piece in question be lighter in the water than the other, it is a certain proof that it has been mixed with a baser metal, of less specific gravity: and if the piece to be tried is silver, it's weighing heavier than the other in water is also a proof of it's having been mixed with a metal of a greater specific gravity, such, for instance, as lead.

To break a Stick which rests upon two Wine Glasses, without injuring the Glasses.

TAKE a stick, A B, FIG. 2, of about the size of a common broomstick, and lay it's two ends, A B, which ought to be pointed, upon the edges of two glasses, placed upon two tables of equal height, so that it may rest lightly upon the edge of each glass. Then take a kitchen poker, or a large stick, and give the other a smart blow, near the middle point C, and the stick A B will be broken without in the least injuring the glasses: and, even if the glasses be filled with wine, not a drop of it will be spilt, if the operation be properly performed.

But, on the contrary, if the stick were struck on the under side, so as to drive it up into the air, the glasses would be infallibly broken.

XXVII.

A number of Metals being mixed together in one Mass, to find the Quantity of each of them.

VITRUVIUS, in his Architecture, reports, that Hiero, king of Sicily, having employed an artist to make a crown of pure gold, which was designed to be dedicated to the gods, suspected that the goldsmith had stolen part of the gold, and substituted silver in the place of it: being desirous of discovering the cheat, he proposed the question to Archimedes, desiring to know if he could, by his art, discover whether any other metal were mixed with the gold. This celebrated mathematician being soon afterwards bathing himself, observed, that as he entered the bath the water ascended and flowed out of it; and as he came out of it the water descended in like manner; from which he inferred, that if a mass of pure gold, silver, or any other metal, were thrown into a vessel of water, the water would ascend in proportion to the bulk of the metal. Being intensely occupied with the invention, he leaped out of the bath, and ran naked through the streets, crying, "I have found it, I have found it."

The way in which he applied this circumstance to the solution of the question proposed was this: he procured two masses, the one of pure gold, and the other of pure silver, each equal in weight to the crown, and

consequently of unequal magnitudes; then immersing the three bodies separately in a vessel of water, and collecting the quantity of water expelled by each, he was presently enabled to detect the fraud; it being obvious, that if the crown expelled more water than the mass of gold, it must be mixed with silver or some baser metal. Suppose, for instance, in order to apply it to the question, that each of the three masses weighed eighteen pounds; and that the mass of gold displaced one pound of water, that of silver a pound and a half, and the crown one pound and a quarter only: then since the mass of silver displaced half a pound of water more than the same weight of gold, and the crown a quarter of a pound more than the gold, it appears, from the rule of proportion, that half a pound is to eighteen pounds, as a quarter of a pound is to nine pounds; which was, therefore, the quantity of silver mixed in the crown.

Since the time of Archimedes several other methods have been devised for solving this problem; but the most natural and easy is that of weighing the crown both in air and water, and observing the difference.

XXVIII.

To make a mutual Exchange of the Liquor in two Bottles, without using any other Vessel.

TAKE two bottles, which are as nearly equal as possible, both in neck and belly, and let one be filled with oil, and the other with water; then clap the one that is full of water dexterously upon the other, so that

the two necks shall exactly fit each other; and as the water is heavier than the oil, it will naturally descend into the lower bottle, and make the oil ascend into it's place.

In order to invert the bottle of water without spilling the contents, place a bit of thin writing paper over the mouth of the bottle, and when you have placed the bottle in the proper position, draw out the paper quickly and steadily.

XXIX.

How to make a Peg that will exactly fit three different Holes.

LET one of the holes be circular, the other square, and the third an oval; then it is evident, that any cylindrical body, of a proper size, may be made to pass through the first hole perpendicularly; and if it's length be just equal to it's diameter, it may be passed horizontally through the second, or square hole; also, if the breadth of the oval be made equal to the diameter of the base of the cylinder, and it's longest diameter equal to the diagonal of it, the cylinder, being put in obliquely, will fill it as exactly as any of the former.

XXX.

To place three Sticks, or Tobacco Pipes, upon a Table, in such a Manner that they may appear to be unsupported by any Thing but themselves.

TAKE one of the sticks, or pipes, A B, fig. 3, and place it in an oblique position, with one of it's

ends, *B*, resting on the table; then put one of the other sticks, as *C D*, across this in such a manner that one end of it, *D*, may be raised, and the other touch the table at *C*. Having done this, take the third stick *E*, and complete the triangle with it, making one of it's ends *E* rest on the table, and running it under the second, *C D*, in such a manner that it may rest upon the first, *A B*, then will the three sticks, thus placed, mutually support each other; and even if a small weight be laid upon them, it will not make them fall, but strengthen and keep them firmer in their position.

XXXI.

How to prevent a heavy Body from falling, by adding another heavier Body to it on that Side towards which it inclines.

ON the edge of a shelf, or table, or any other horizontal surface, lay a key, *C D*, fig. 4, in such a manner, that being left to itself, it would fall to the ground; then in order to prevent this, take a crooked stick *D F G*, with a weight *H* at the end of it; and having inserted one end of the stick in the open part of the key, at *D*, let it be so placed, that the weight *H* may fall perpendicularly under the edge of the table, and the body by these means will be effectually prevented from falling.

The same thing may be done by hanging a weight at the end of a tobacco pipe, a stick, or any other body, the best means of accomplishing which will be easily known by a few trials.

XXXII.

To make a false Balance, that shall appear perfectly just when empty, or when loaded with unequal Weights.

TAKE a balance DCE , fig. 5, the scales and arms of which are of such unequal weights and lengths, that the scale A may be in proportion to the scale B , as the length of the arm CE is to the length of the arm CD ; then will the two scales be exactly in equilibrio about the point C ; and the same will be the case, if the two arms CD , CE , are of equal length, but of unequal thickness, provided the thickness of CD is to that of CE , as the weight of the scale B is to that of A .

For example, suppose the arm CD is equal to three ounces, and the arm CE , to two, and that the scale B weighs three ounces, and the scale A two; then the balance, in this case, will be exactly true when empty; and if a weight of two pounds be put into the scale A , and one of three pounds into B , they will still continue in equilibrio. But the fallacy in this, and all other cases of the same kind, may be easily detected by shifting the weights from one scale to the other.

XXXIII.

How to lift up a Bottle with a Straw, or any other slight Substance.

TAKE a straw, AB , fig. 6, which is not broken or bruised, and bend one end of it into a sharp angle ABC ; then if this end of the straw be put into the bottle, so that the bent part of it may rest against either

of it's sides, you may take the other end in your hand, and lift up the bottle by it without breaking the straw; and this will be the more easily done according as the angular part of the straw approaches nearer to that which comes out of the bottle.

XXXIV.

How to make a Cone, or Pyramid, move upon a Table without Springs or any other artificial Means.

TAKE a cone, or pyramid, of paper, or any other light substance, and put a beetle, or some such small insect, privately under it; then, as the animal will naturally endeavour to free itself from its captivity, it will move the cone towards the edge of the table, and as soon as it comes there, will immediately return for fear of falling; and by moving backwards and forwards in this manner, will occasion much diversion to those who are ignorant of the cause.

XXXV.

To make a Pen, which holds one hundred Sheep, hold double the Number, by only adding two Hurdles more.

IN the first pen, or that which holds one hundred sheep, the hurdles must be so disposed that there shall be only one at the top and bottom, and the rest in equal numbers on each side; then it is obvious, that if one hurdle more be placed at each end, the space enclosed must necessarily be double the former, and consequently will hold twice the number of sheep.

To make a Person choose any Card you please, and to tell him the Card he has chosen.

SPREAD a pack of cards before any person in company in such a manner that one of the pictured cards, or some other remarkable one, only shall be completely visible; then desire him to think of any card he pleases; and when he has made his choice, you may safely tell him, that the pictured card is the one he thought on; for as no other could strike his eye, it was scarcely possible for him to make a different choice; but if he should, you may pretend to have made some mistake, and, after a time, try the experiment with some other person in company.

To discover any Card in the Pack by it's Weight or Smell.

DESIRE any person in company to draw a card from the pack, and when he has looked at it, to return it to you with the face downwards; then pretending to weigh it nicely, take notice of any particular mark on the back of the card, which having done, put it among the rest of the cards, and desire the person to shuffle them as much as he pleases; then, giving you the pack, you pretend to weigh each card as before, and proceed in this manner till you have discovered the card he has chosen.

A Trick on the Cards, called the two Convertible Aces.

By means of a little soap, fix a heart on the ace of clubs, and a club on the ace of hearts, in such a manner that they will easily slip off. Show these two aces to the company, and taking the ace of clubs in your hand, desire a person to put his foot upon it, and as you place it on the ground, draw away the club in as secret a manner as possible. In like manner place the seeming ace of hearts under the foot of another person. You then command, with as much ceremony as you choose, the two cards to change their places; and upon the persons taking up their cards, they will have ocular demonstration that your commands have been obeyed.

A similar experiment may be practised with the seeming ace of hearts only, as follows: after showing a person the card, let him hold one end of it at the same time you have hold of the other; and while you amuse him by discourse, or some other way, slide off the heart, and then laying the card on the board, with it's face downwards, knock under the table, and command it to change to the ace of clubs; which, upon it's being taken up, will be found to be the case.

A curious Trick of Legerdemain, called the two Convertible Coins.

TAKE two guineas, which may be counterfeits, and two shillings, and grind part of them away on

one side only, so that they may be about half the common thickness, and quite thin at the edge. Then rivet a guinea and a shilling together, and lay one of these double pieces, with the shilling uppermost, on the palm of your hand, at the bottom of your three first fingers, and the other piece, with the guinea uppermost, in like manner on the other hand. Having done this, bid the company take notice in which hand is the guinea, and in which the shilling; and as you shut your hands turn the pieces dextrously over, and when you open them again, the shilling and the guinea will appear to have changed places.

This, perhaps, may appear to be a very trifling trick, and so it certainly is when known; but by deceptions similar to this, Breslaw, Jonas, and others, excite universal admiration.

XL.

An ingenious Recreation called the Two Communicative Busts.

TAKE two heads of plaster of Paris, and place them on pedestals on the opposite sides of a room. Then take a tin tube of an inch in diameter, and let it pass from the ear of one head through the pedestal, and under the floor, to the mouth of the other, observing that the end of the tube, which is next the ear of one head, should be considerably larger than that which comes to the mouth of the other.

The whole being so disposed, that there may be no suspicion of a communication, let any person speak

with a low voice into the ear of one bust, and the sound will be distinctly heard by any one who shall place his ear to the mouth of the other; and if there be two tubes, one going to the ear, and the other to the mouth of each head, two persons may converse together, by applying their mouth and ear reciprocally to the mouth and ear of the busts, without being heard by any other persons in the room.

XLI.

Another Recreation of the same Kind, called the Oracular Head.

PLACE a bust on a pedestal in the corner of a room, and let there be two tubes, one of which goes from the mouth, and the other from the ear of the bust through the pedestal and floor to an under apartment.

Then if a person be placed in the under room, by applying his ear to one of the tubes as soon as a proper signal is given, he will hear any question that is asked, and can immediately return an answer; and if wires be made to go from the under jaw and eyes of the bust, they may be made to move at the same time, and by these means appear to deliver the answer.

It was by a contrivance of this kind that Don Antonio de Moreno so much astonished the celebrated knight of the woeful countenance and his facetious squire Sancho Panza, by resolving certain doubts proposed by the former concerning his adventures in the cave of Montesinos, and the disenchantment of my lady Dulcinea.

How to make a Piece of Metal, or any other heavy Body, swim upon the surface of Water, like a Cork.

THE specific gravity of water is inferiour to that of metals, and consequently water, absolutely speaking, cannot support a ball of iron or lead; but if this ball be flattened, and beaten out to a very thin plate, it will, if put softly upon still water, be prevented from sinking, and will swim upon it's surface like any light substance. In like manner, if a fine steel needle, which is perfectly dry, be placed gently upon some still water in a vessel, it will float upon the surface without sinking.

But if you would have a metallic body of large dimensions to swim upon water, you must reduce it into a thin concave plate, like a kettle, in which case, as the air it contains, together with the body itself, weighs less than the same bulk of water, it cannot possibly sink; as is evident from large copper boats, or pontoons, by which whole armies are frequently passed over rivers without danger.

And if this concave metallic vessel be placed upon the water with it's mouth downwards, it will swim as before, and the contained air will keep the bottom of it from being wet: for that the water will not rise into any hollow vessel which is immersed into it, may be made evident thus;—Take a glass tumbler, and plunge it in water with it's mouth downwards, and you will find, when you take it out, that the inside of

the vessel is perfectly dry, so that if a live coal were put there, it would not be extinguished.

XLIII.

A curious Experiment to prove that Two and Two do not make Four.

TAKE a glass vessel with a long narrow neck, which, being filled with water, will hold exactly a quart; then put into this vessel a pint of water, and a pint of acid of vitriol, and you will presently perceive, that the mixture will not fill the vessel, as it did when a quart of water only was put into it. The acid of vitriol must be put in gradually, by little and little at a time, mixing each portion with the water before you add more, by shaking the bottle, and leaving the mouth of the bottle open, otherwise the bottle will burst. The mixture in this case also possesses a considerable degree of heat, though the two ingredients, of themselves, are perfectly cold; and this phenomenon is not to be accounted for, by supposing that the acid of vitriol is received in the pores of the water, for then, a small portion of acid might be dissolved in a large portion of water, without augmenting it's bulk, which is known not to be the case; but the very form of the bodies in this experiment is changed, there being, as Dr. Hook, who first noticed the fact, observes, an actual penetration of dimensions. Chemistry also furnishes a number of other instances, which show, that two bodies, when mixed together, possess less space than when they are separate.

An ingenious Method of secret Writing, by means of Corresponding Spaces.

TAKE two pieces of pasteboard, or stiff paper, out of which cut a number of oblong figures, at different distances from each other, as in the following example. Keep one of these pieces for yourself, and give one to your correspondent; and when you are desirous of sending him any secret intelligence, lay the pasteboard upon a sheet of paper of the same size, and in the spaces which are cut out, write what you would have him only to understand, and fill up the intermediate parts of the paper with something which makes with these words a different sense. Then when your correspondent receives this letter, by applying it to his pasteboard, he will be able to comprehend your meaning.

EXAMPLE.

[I shall be] much obliged to you, as reading
 [alone] engages my attention [at] present, if
 you will send me any of the [eight] volumes of the
 Spectator; I hope you will excuse [this] freedom,
 but for a Winter's [evening] I [dont] know a bet-
 ter entertainment. If I [fail] to return it soon, never
 trust me for the time [to come.]

Note. A paper of this sort may be placed four different ways, either by putting the bottom uppermost,

or by turning it over, by which means the superfluous words may be more easily adapted to the sense of the others. And in either of these cases, this will be found a very eligible cipher, being more free from suspicion than any other; but in general it will only do for short messages.

XLV.

A curious Experiment, which depends on an optical Illusion.

ON the bottom of the vessel, *A I B D*, fig. 7, place three pieces of money, as a half crown, a shilling, and a sixpence, the first at *E*, the second at *F*, and the third at *G*. Then let a person be placed with his eye at *H*, so that he can see no farther into the vessel than *I*; and tell him, that by pouring water into the vessel, you will make him see three different pieces of money, which he may observe are not poured in with the water.

For this purpose, desire him to keep himself steady, in the same position, and pouring the water in gently, that the pieces of money may not be moved out of their places, when it comes up to *K*, the piece *G* will become visible to him; when it comes up to *L*, he will see the two pieces *G* and *F*; and when it rises to *M*, all the three pieces will become visible; the cause of which is owing to the refraction of the rays of light, in their passage through the water; for while the vessel is empty, the ray *H I* will proceed in a straight line; but in proportion as it is filled with water, the ray will be bent into the several directions

N G, O F, P E, and by these means the pieces are rendered visible.

XLVI.

A curious Experiment of nearly the same Kind as the last, called Optical Augmentation.

TAKE a large drinking glass, of a conical figure, and having put a shilling into it, fill the glass about half full with water; then place a plate on the top of it, and turn it quickly over, so that the water may not get out. This being done, look through the glass, and you will now perceive a piece of money of the size of half a crown; and something higher up, another piece of the size of a shilling. But if the glass be entirely filled with water, the large piece at the bottom only will be visible.

This phenomenon is occasioned by your seeing the piece through the conical surface of the water, at the side of the glass, and through the flat surface at the top of the water, at the same time; for the conical surface dilates the rays, and makes the piece appear larger, while the flat surface only refracts them, and occasions the piece to be seen higher up in the glass, but still of it's natural size.

XLVII.

Another curious Experiment called Optical Subtraction.

AGAINST the wainscot of a room fix three small pieces of paper, as A B C, fig. 8, about a foot and a half or two feet asunder, at the height of your eye; and placing yourself directly before them, about five

times the distance from them that the papers are from each other, shut one of your eyes, and look at them with the other, and you will then see only two of those papers, suppose A and B ; but altering the position of your eye, you will now see the third, and one of the first, suppose A ; and by altering it's position a second time, you will see B and C, but in neither case all three of them together.

The cause of this phenomenon is, that one of the three pencils of rays, which come from these objects, falls on the optic nerve at D ; whereas to produce distinct vision, it is necessary that the rays of light fall on some part of the retina E, F, G, H.

From this experiment, the use of having two eyes may be easily perceived ; for he that has only one, can never see three objects placed in this position ; or all the parts of one object, of the same extent, without altering the situation of his eye.

XLVIII.

An Optical Experiment, showing how to produce an artificial Rainbow.

IN any room which has a window facing the sun, suspend a glass globe, filled with water, by a string which runs over a pulley, so that the sun's rays may fall directly upon it ; then drawing the globe gradually up, when it comes to the height of about forty degrees above the horizon, you will see, by placing yourself in a proper situation, the glass tinged with a purple colour ; and by drawing it gradually higher up,

The other prismatic colours blue, green, yellow, and red, will successively appear; but after this they will all vanish, till the globe is raised to about fifty degrees, when they will again be seen, but in an inverted order, the red appearing first, and the blue, or violet, last; and when the globe comes up to little more than fifty-four degrees, they will intirely vanish.

These appearances serve to illustrate the phenomena of natural rainbows, of which there are generally two, the one being about eight degrees above the other, and the order of their colours inverted, as in this experiment: the red being the uppermost colour in the lower bow, and the violet in the other.

An artificial Rainbow may also be produced as follows:

Take some water in your mouth, and turn your back to the sun; then if it be blown forcibly out against some dark or shady place, you will see the drops formed by the beams of the sun into an apparent rainbow, which, however, soon vanishes.

XLIX.

A curious Optical Illusion, produced by Means of a concave Mirror.

TAKE a glass bottle *A B C*, fig. 9, and fill it with water to the point *B*; leave the upper part, *B C*, empty, and cork it in the common manner; place this bottle opposite a concave mirror, and beyond its focus, so that it may appear reversed; then if you place yourself still farther from the mirror, the bottle will appear to you in the situation *a b c*.

And in this apparent bottle it is remarkable that the

water which, according to the laws of catoptrics, and all other experiments of this kind, should appear at $a b$, appears, on the contrary, at $b c$, the part $a b$ seeming to be entirely empty.

And if the bottle be inverted, and placed before the mirror, as in the under part of the figure, it's image will appear in it's natural erect position; but the water, which is in reality at $b c$, will appear at $a b$.

And if while the bottle is inverted it be uncorked, and the water suffered to run gently out, it will appear, that, while the part $b c$ is emptying, the part $a b$ in the image is filling; and if, when the bottle is partly empty, some drops of water fall from the bottom A , towards $b c$, it seems in the image as if there were formed at the bottom of the part $a b$ bubbles of air arising from a to b , which is the part that seems full.

The circumstances most remarkable in this experiment are, first, not only to see an object where it is not, but also where it's image is not; and secondly, that of two objects, which are really in the same place, as the surface of the bottle and the water it contains, the one should be seen at one place, and the other at another; and also that the bottle should be seen in the place of it's image, and the water where neither it nor it's image are.

It is, however, to be noted, that if any coloured liquor be put into the bottle, instead of water, no such illusion will take place.

There is one phenomenon more of this kind which ought not to be omitted, for though it be common

enough, it is also extremely pleasing, and easy to be performed.

If you place yourself before a concave mirror, at a proper distance, your figure will appear inverted; and if you stretch out your hand toward the mirror, you will perceive another hand which seems to meet and join it, though imperceptible to the touch.

And if instead of your hand you make use of a drawn sword, and present it in such a manner that it's point may be directed towards the focus of the rays reflected by the mirror, another sword will appear, and seem to encounter that in your hand. But it is to be observed, that to make this experiment succeed well, you must have a mirror of at least a foot in diameter, that you may see yourself in part; and if you have a mirror large enough to see your whole person, the illusion will be still more striking.

L.

How to make a violent Tempest, by means of artificial Rain and Hail.

MAKE a hollow cylinder of wood, very thin at the sides, about eight or ten inches long, and two or three feet in diameter. Divide its inside into five equal partitions, by means of boards of about six inches wide; and let there be a space between them, and the wooden circle, of about one-sixth of an inch; observing, that the boards are to be placed obliquely to each other.

This being done, put into the cylinder four or five

D

pounds of leaden shot, of a size that will easily pass through the opening left for this purpose; then turn the cylinder on it's axis, and the sound of the machine, when in motion, will represent that of rain, which will increase with the velocity of the motion; and if a larger sort of shot be used, it will produce the sound of hail.

LI.

How to read Letters written in arbitrary Characters called Ciphers.

THE methods of deciphering are different in different languages: but by observing the following rules, you may soon make out any common cipher, written in English.

1. Observe the letters or characters that most commonly occur, and set them down for the six vowels, including *y*; and of these the most frequent will generally be *e*, and the least frequent *u*.

2. The vowels that most frequently come together are *e a*, and *o u*.

3. The consonant most common at the end of words is *s*, and the next frequent are *r* and *t*.

4. When two similar characters come together, they are most likely to be the consonants *ff*, *ll*, or *ss*, or the vowels *ee* or *oo*.

5. The letter which precedes or follows two similar characters, is either a vowel, or *l*, *m*, *n*, or *r*.

6. Begin first with the words that consist of a single letter, which will be either *a*, *i*, or *o*.

7. Then take the words of two letters, one of

which will be a vowel; and of these words the most frequent are *an, to, he, by, of, on, or, no, so, as, at, if, in, is, it, he, me, my, us, we, am.*

8. In words of three letters, there are most commonly two consonants; and of these the most frequent are, *the, and, not, but, yet, for, tho, now, why, all, you, she, his, her, our, who, may, can, did, was, are, has, had, let, one, two, six, ten, &c.*

9. The most common words of four letters are *this, that, then, thus, with, when, from, here, some, most, none, they, them, whom, mine, your, self, must, will, have, been, were, four, five, nine, &c.*

10. The most usual words of five letters are, *there, these, those, which, where, while, since, their, shall, might, could, would, ought, three, seven, eight, &c.*

11. Words of two or more syllables frequently begin with double consonants, or with a preposition, which consists of a vowel joined with one or two consonants. The most common double consonants are *bl, br, dr, fl, fr, gl, gr, ph, pl, pr, sh, sp, st, th, tr, wh, wr, &c.*; and the most common prepositions are, *com, cor, de, dis, ex, im, in, int, mis, par, pre, pro, re, sub, sup, ur, &c.*

12. The double consonants most frequent at the end of long words are, *ck, ld, lf, mn, nd, ng, rl, rm, rn, rp, rt, sm, st, xt, &c.*; and the most common terminations are *ed, en, et, es, ex, ing, ly, son, sion, tion, able, ence, ent, ment, ful, less, nefs, &c.*

The following is an example of a letter of this kind, written, as it is usual, in arbitrary characters.

which may be easily deciphered by observing the foregoing rules.

Γ Δ Χ Ο Χ Λ Δ Γ Λ Γ Γ Δ + Δ Ν Ξ
 — Ν = Γ Π + Ω Λ + Λ Ω Ω Ν Ξ — =
 — Χ + Ο Σ Ο Π Χ Ω Ω Λ Ο Ο + V Υ
 Ω + Υ + = Ν — + Γ Δ + Λ Λ Γ + Ν
 = Γ Δ + Φ Χ Γ Λ Σ + Ω Υ + Ι Ξ
 Ο Φ Γ Ξ Λ Ω Γ Ν Γ Δ + Δ Ν Ξ
 — Λ Ο Σ Φ Ν V + Π + Ω Ω Ι —
 + Ι Λ — + Σ Γ Ν — + Λ Λ Χ Ο
 Ο Ν Ξ — Ω Χ Υ + — Γ Ο Ν —
 Σ Χ + Υ — Λ Λ + Ω Ο Γ Δ Χ Ο
 Χ Ο Γ Δ + Ο Χ Λ Δ Γ Γ Δ Λ Γ + Χ
 Γ Δ + — V Λ S + Ο Ξ Ο Ν — Ξ Ο Σ Ν
 + Ο Ξ Ο Ρ Ξ Χ Γ +

To decipher a writing of this sort, you must first look for those characters which most frequently occur, and set them down for the vowels as before; then observe the similar characters which come together, but remember that two such characters may belong to two words. You are next to remark the combinations of two or three of the most frequent characters, which will be some of the words in the 7th and 8th of the foregoing rules; and by proceeding in this manner with the rest, you may infallibly discover, by time and proper attention, any cipher written upon these principles.

And the longer any letter of this kind is, the more easy it is to decipher it, as the repetitions of the characters and combinations will necessarily be more frequent.

The contents of the foregoing letter are as follows : but that they, who are desirous of trying their talent at deciphering, may not read the explanation before the cipher, the words and letters are here put in an inverted order.

evlewt fo ruoh eht ta thgin siht, ledatic
eht fo etag eht erofeb elbmessa lliw sdneirf
ruo lla. ruoh eht ot lautcnup eb : deraperp
llew emoc dna, ytrebil ruoy niager ot, ylevarb
eid ro, thgin eht si siht, su sekam rehtie taht,
etiuq su seodnu ro.

The Lacedæmonians are said to be the first inventors of ciphers, or at least they were not, to our knowledge, used by any people before them. Their method was by rolling a narrow parchment round a wooden cylinder, called a *Scytala Laconica*, upon which they wrote their dispatches. It was then taken off, and sent to the confederate, who had another roller exactly of the same size, round which he wrapt the parchment, and then read it's contents.

LII.

A curious Hydraulic Experiment, called the Magical Bottle.

TAKE a small bottle, A B, Fig. 10, the neck of which must be very narrow, and provide a glass vessel, c D, the height of which exceeds that of the bottle about two inches ; fill the bottle, by means of a small funnel, with red wine, and place it in the vessel c D, which is to be previously filled with water.

Then, if the bottle be uncorked, the wine will presently come out of it, and rise, in form of a small column, to the surface of the water; and at the same time the water, entering the bottle, will supply the place of the wine; for water being specifically heavier than wine, it will consequently subside to the lowest place, while the other naturally rises to the top.

A similar effect will be produced, if the bottle be filled with water, and the vessel with wine; for the bottle being placed in the vessel, in an inverted position, the water will descend to the bottom of the vessel, and the wine will rise into the bottle. The same effect may also be produced by any other liquors, the specific gravities of which are considerably different.

LIII.

Another Hydraulic Experiment, called the Miraculous Vessel.

TAKE a tin vessel of about six inches in height, and three in diameter, and having a mouth of only a quarter of an inch wide; and in the bottom of the vessel make a number of small holes, of a size sufficient to admit a common sewing needle.

Plunge the vessel into water, with it's mouth open, and when it is full, cork it, and take it out again; then, as long as the vessel remains corked, no water will come out of it; but as soon as it is uncorked, the water will immediately issue from the small holes at the bottom.

It must be observed, however, that if the holes at

the bottom of the vessel be more than one-sixth of an inch in diameter, or if they be too numerous, the experiment will not succeed ; for, in this case, the pressure of the air against the bottom of the vessel will not be sufficient to confine the water.

LIV.

A curious Hydraulic Experiment, called Tantalus's Cup.

TAKE a glass, or any other vessel, A B C D, Fig. II, which has a small bent pipe, E F G, open at each end, running through the middle of it ; then if water, or wine, be poured into the glass, it will continue in it till the tube is full up to the bend F, which should be a little lower than the upper edge of the glass ; but if, after this, you continue to pour more liquor into it, it will endeavour, as usual, to rise higher in the glass, but not finding room for a farther ascent in the tube, it will descend through the part E G, and run out at the end G, as long as you continue to put it in. To those who are unacquainted with the nature of the syphon, the effect may perhaps appear something more extraordinary, if the longest branch of the tube be concealed in the handle of the cup.

This is called the cup of Tantalus, from it's resemblance to an experiment of the same kind, which is sometimes made, by placing an upright image in the cup, and disposing of the syphon in such a manner, that, as soon as the water rises to the chin of the image, it will begin to run out through the longest

leg, in the same manner as from the cup above-mentioned.

L V.

A curious Chymical Experiment, called the Tree of Diana.

MAKE an amalgam, without heat, of two drams of leaf silver with one dram of quicksilver. Dissolve this amalgam in two ounces, or a sufficient quantity, of pure nitrous acid of a moderate strength: dilute the solution in about a pound and a half of distilled water, agitate the mixture, and preserve it for use in a glass bottle with a ground stopper. When you would make your tree, put into a phial the quantity of an ounce of the above preparation, and add to it about the size of a pea of an amalgam of gold or silver as soft as butter: the vessel must then be left at rest, and soon afterwards small filaments appear to issue out of the ball of amalgam, which quickly increase, and shoot out branches in the form of shrubs.

A metallic arborisation, somewhat similar, may be produced in the following manner: Dissolve a little sugar of lead in water, and fill a phial with the solution. Pass a wire through the cork, and affix to the upper part of the wire a small bit of silver, or zinc, in such a manner that it may be immersed in the solution not far from its surface. Set the phial in some place where it may remain undisturbed, and in about twenty-four hours you will perceive the lead beginning to shoot round the wire: This process will continue going on slowly, till you have a beautiful metallic

tree. If you have a wide-mouthed phial, or glass jar, the experiment may be pleasingly diversified, by arranging the wire in various forms.

LVI.

A remarkable Experiment, called Prince Rupert's Drops.

TAKE up a small quantity of the melted matter of glass with a tube, and let a drop of it fall into a vessel of water. This drop will have a small tail, which being broken, the whole substance of the drop will burst, with great violence, into a fine powder, and give a little pain to the hand, but do no hurt to it.

It is a remarkable circumstance in this experiment, that the bulb, or body, will bear the stroke of a hammer, without breaking; but when the tail is broken, the above-mentioned effect is produced. If the drop be cooled in the air, the same effect will not take place; and if it be ground away on a stone, nothing extraordinary appears; but if it be put into the receiver of an air pump, and then broken, the effect will be so violent as to produce light.

LVII.

How to make Sympathetic Inks, of various Kinds.

By sympathetic inks are meant those kinds of liquors, with which if any characters be written, they will remain invisible, till some method is used to give them a colour.

The first class of these inks consists of such as become visible by passing another liquor over them, or by exposing them to the vapour of that liquor.

The second, of those which do not appear so long as they are kept close, but soon become visible on being exposed to the air.

The third, of such as become apparent, by strewing or sifting some very fine powder over them.

The fourth, of those which do not become visible, till they are exposed to the fire, or heated.

The fifth, like the fourth, of such as appear by heat, but disappear again when the paper becomes cold, or has had a sufficient time to imbibe the moisture of the air.

Sympathetic Inks of the First Class.

PUT some litharge into strong distilled vinegar, and let it stand for twenty-four hours; then strain it off, and after it is quite settled, put it into a bottle closely corked, and preserve it for use. Having done this, put into a pint bottle two ounces of quick lime, one ounce of orpiment in powder, and as much water as will rise two or three fingers breadth above them; and when the solution is made, pour the liquor gently off, and let it stand in the sun for two or three days, observing to turn it five or six times each day.

When these liquors are ready for use, any letters written by the first, being exposed to the vapours of the second, will quickly become visible; and if you would have them disappear again, you must draw a sponge, or pencil, dipt in aqua fortis, or spirit of nitre, over them: and if after this you would have them appear again, stay till the paper is quite dry, and

then pass the vivifying liquor, made of the solution of orpiment, over them as before.

Another Ink of this Class.

DISSOLVE bismuth in the nitrous acid, and any letters written with this ink will become quite black, by being exposed to the vapour of liver of sulphur, which is of so penetrating a nature, that it will act upon the ink through a quire of paper, or even the slight partition of a room.

A Sympathetic Gold Ink, of the Second Class.

PUT as much gold into a small quantity of aqua regia as will just dissolve it, and then dilute it with two or three times as much distilled water.

Also dissolve, in a separate vessel, fine pewter in aqua regia, and when it is well saturated, add to it an equal quantity of distilled water.

Then, if any characters be written with the solution of gold, put them in the shade till they become quite dry, and they will not appear for the first seven or eight hours; but if you dip a pencil, or small fine sponge, in the solution of pewter, and draw it lightly over the invisible characters, they will presently appear of a purple colour.

The purple colour of these letters may be effaced again, by wetting them with aqua regia, and may be produced a second time, by passing the solution of pewter over them as before.

A Sympathetic Silver Ink, of the Second Class.

DISSOLVE fine silver in aqua fortis, and add some distilled water to the solution, in the same manner as in the gold ink; then, whatever is written with this ink, will remain invisible for three or four months, if it be kept close from the air; but if it be exposed to the sun, it will appear, in about an hour, of a gray colour, like that of a slate.

Sympathetic Inks of the third class, or such as become visible by having any fine powder strewed over them, may be composed of the glutinous and colourless juice of any vegetable, the milk of animals, and several other substances.

Sympathetic Inks, of the fourth class, are made by diluting acid of vitriol with about three times its weight of common water, or as much as will prevent it from corroding the paper. The juice of lemons, or onions, will answer the same purpose, but either of them requires more heat than the first, and will not keep so long.

A Green Ink, of the Fifth Class.

TAKE zaffre in powder, and let it remain dissolved in aqua regia for twenty-four hours; after which pour the liquor off clear, and adding to it as much common water, keep it in a bottle well corked. Then, if any characters be written with this ink, and exposed to the fire, or strong rays of the sun, they will appear of a lively green.

It is the peculiar property of this ink, that as soon as the paper becomes cold again, the letters will disappear, and this alternate appearance and disappearance may be repeated a great number of times, provided the heat be not too great.

Other sympathetic Inks.

A **YELLOW** ink of this kind may be made, by steeping the flowers of marygolds seven or eight days in clear distilled vinegar, and then pressing them out, and keeping the liquor well corked in a bottle for use.

For a red invijible ink, take the pure spirit of vitriol, or that of nitre, and add to it eight or ten times as much water, according as you would have it more or less red.

For a green ink of this sort, dissolve salt of tartar, the clearest and driest you can procure, in a sufficient quantity of river water; and *for a violet sympathetic ink*, express the juice of lemons, and keep it in a bottle well corked.

Then, if any characters be written with one of these inks, they will appear in their proper colours, after having been dipped in the following liquor.

Take a sufficient quantity of the flowers of pansies, or common violets, and after adding some water to them, strain the liquor through a cloth, and keep it in a bottle for use.

A sympathetic Ink which appears by being wetted with Water.

Mix alum with a sufficient quantity of lemon juice; then, if any letters or characters be written with this

mixture, they will be invisible till they are wetted with water, which will make them appear of a greyish colour, and quite transparent.

Or you may write with a strong solution of rock alum only, and when the writing is dry, pour a small quantity of water over it, and it will appear of a white colour; like that of the paper before it was wetted.

Also all saline liquors, such as vitriolic, nitrous, and marine acids, diluted with water; the liquor of fixed vegetable alkalis, and even vinegar, will produce the same effect.

Note, If a little aqua fortis be mixed with the water, the writing will dry well, and not run out of it's form when the paper is wetted.

LVIII.

A curious Recreation with sympathetic Ink, called the Book of Fate.

MAKE a book, consisting of seventy or eighty leaves, and in the cover at the end of it, let there be a case which opens next to the back, that it may not be perceived. At the top of each right hand page, write any question you please, and at the beginning of the book, let there be a table of those questions, with the number of the pages in which each are to be found. Then write with common ink on separate papers, each about half the size of the pages, the same questions that are in the book; and under each of them, write with the ink made with the litharge of lead, or the solution of bismuth, the answer.

Soak a double paper in the vivifying ink, made of quick lime and orpiment, or the liver of sulphur, and

just before you make the experiment, place it in the case that is in the cover of the book.

Having done this, deliver some of the papers on which the questions are written, to the company; and after they have chosen such as they wish to have answered, let them put them into those leaves where the same questions are contained; then shutting the book for a few minutes, the sulphureous spirit, with which the paper in the cover of the book is impregnated, will penetrate the leaves, and make the answer visible, which will be of a brown colour, and more or less deep, in proportion to the time the book has been closed.

LIX.

A curious Recreation, called the Transcolored Writing.

WRITE on a paper, with a violet coloured liquor, as many letters or words as you please, and ask any person which he will choose to have the writing, yellow, green, or red. When he has made his choice, have a sponge ready, with three sides, which you can easily distinguish, and dip each of it's sides in one of the three sympathetic inks; then draw the side of the sponge, which corresponds to the colour the person has chosen, over the writing, once only, and it will directly change to the colour required.

LX.

An Experiment with sympathetic Ink, called the Oracular Letters.

WRITE on several slips of paper different questions, and such as may be answered by the name of

some person;—for example, Who is the merriest man in company? *Answer.* Mr. * * *. To whom will Miss * * * * be married? *Answer.* To Mr. * * *. These questions are to be written in the sympathetic ink of the fourth class, and exposed to the fire, and the answers written in the same ink, and left invisible. The papers are then to be folded in the form of letters, and in such a manner, that the part where the name is written shall be directly under the seal; in which case, the heat of the wax will make it visible. Then, if the letter be given to the person who requires the answer, he will find it plainly written.

A recreation similar to this may be made with a number of blank cards, on each of which an ace of clubs is drawn with invisible ink. Then let a person choose any one of them, and enclose it in a letter-case, so prepared, that the figure of the ace may be directly under the seal; and on opening the letter, it will be immediately visible.

LXI.

An Experiment with Sympathetic Ink, called Winter changed to Spring.

TAKE a print which represents Winter, and trace over the trees, plants, and ground, with the green sympathetic ink; observing to make some parts deeper than others, according to their distance. When those parts are dry, paint the other objects in their natural colours; then put the print into a glazed frame, and cover the back of it with a paper, pasted over it's border only.

When this print is exposed to the heat of a moderate fire, or to the warm rays of the sun, all the grass and foliage will turn to a pleasing green; and if a yellow tint be given to some parts of the print, before the sympathetic ink be drawn over it, the green will be of different shades, and the scene, that a minute before represented Winter, will now be changed into Spring. When this print is placed in the cold, Winter will appear again, and be again driven away by the warm rays of the sun; and this alternate change of seasons may be repeated as often as you please, provided the print be not made too hot.

LXII.

A remarkable Experiment, called the Revivified Rose.

TAKE a rose that is quite faded, and throw in some common sulphur on a chafing dish of hot coal. Hold the rose over the fumes, and it will become quite white; then dip it into a basin of water, and giving it to any one, tell him to put it into his box or drawer, and after locking it, to give you the key. About five or six hours afterwards, return him the key, and when he unlocks his drawer, instead of the white rose he put into it, he will find one perfectly red.

LXIII.

How to Write on Glass, by means of the Rays of the Sun.

DISSOLVE chalk in aqua fortis to the consistence of milk, and add to it a strong solution of silver; keep this liquor in a glass decanter, well stopped, and cut

ting out from a paper the letters you wish to appear, paste it on the decanter, and place it in the sun, in such a manner, that it's rays may pass through the spaces cut out of the paper, and fall on the surface of the liquor; then will that part of the glass through which the rays pass be turned black, while that under the paper will remain white; but particular care must be taken that the bottle be not moved during the time of the operation.

LXIV.

To produce different Colours, by pouring a colourless Liquor into a clean Glass.

TAKE a strong solution of quicksilver, made with spirit of nitre; dilute it with water, and pour it into a hot glass, rinsed in strong spirit of sea salt, and it will instantly become coloured. Or if a solution of silver, made with spirit of nitre, considerably diluted, be poured into a glass, prepared in the manner above-mentioned, it will produce the same effect. And if you pour hot water upon new made crocus metallo-rum, and put it into a clean glass, rinsed with any acid, it will produce an orange colour.

LXV.

To produce a Colour which appears and disappears by the Influence of the Air.

PUT into a decanter some volatile spirit, in which you have dissolved copper filings, and you will have a fine blue tincture; and if the bottle be stopped, the colour will presently disappear; but when it is un-

stopped, the colour will soon return again; and this experiment may be repeated a considerable number of times.

LXVI.

To turn a colourless Liquor Black, by adding a White Powder to it.

PUT a hot weak pellucid infusion of galls into a glass, and throw into it a grain of the vitriol of iron, calcined to whiteness, and considerably heated; then, as it falls to the bottom, it will make a black cloud, which will uniformly diffuse itself through the transparent liquor and gradually turn it black.

The same effect may also be produced by the addition of a little vitriol of iron calcined to a yellow colour, or by the colcothar of vitriol calcined to redness.

The black liquor, produced as above, may be rendered pellucid again, by pouring the liquor hot into a glass rinsed with the pure acid of vitriol. And to make this transparent liquor black again, pour to it as much hot oil of tartar per deliquium as will saturate the acid, which has attracted the metallic matter.

LXVII.

A curious Pyrotechnical Experiment, with Liquid Phosphorus.

TAKE a piece of common phosphorus, of about the size of a pea, and cutting it very small, put it into a glass of clear water, and boil it in a little earthen vessel over a moderate fire. Then take a phial with a

narrow neck, and having plunged it into boiling water, take it out again, and put the boiling mixture immediately into it, stopping the phial instantly with a glass stopper, and covering it with a cement, that the air may in no degree enter.

Then, if this mixture be put in a dark room, it will shine for several months, though the phial be not touched; but if it be shaken, especially in warm dry weather, very strong corruscations like lightning, will dart from the middle of the water; and if the phial be sufficiently long, or broad, and a piece of paper be pasted over it, any letters or figures which may be written on it, will appear strongly illuminated.

Note, If any letters or figures be drawn with it on a white wall, in a dark room, they will likewise appear luminous.

LXVIII.

Another Pyrotechnical Experiment, by means of Fulminating Powder.

TAKE three parts of nitre, two parts of salt of tartar perfectly dry, and one part of flowers of sulphur. Mix them well together by rubbing them in a mortar, taking care that they do not attract any moisture from the air, which they will do if exposed to it too long. A small quantity of this powder, ten or twenty grains for instance, being put into a fireshovel, and held over the fire till it begins to melt, will then produce a smart explosion. No danger attends this experiment, unless too large a quantity of the powder be used, or the operator pry too closely into what is going forward.

A curious Experiment made by Mr. Symmer, on the Electricity of Silk Stockings.

THIS gentleman having frequently observed, that on putting off his stockings in the evening they made a crackling or snapping noise, and that in the dark they emitted sparks of fire, was induced to examine on what circumstances these electrical appearances depended. After a considerable number of observations, directed to this point, he found that it was the combination of white and black which produced the electricity, and that the appearances were the strongest when he wore a white and black stocking upon the same leg.

These, however, discovered no signs of electricity while they were upon the leg, though they were drawn backwards and forwards upon it several times; but the moment they were separated, they were both of them found to be highly electrified, the white positively, and the black negatively: and when they were held at a distance from each other, they appeared inflated to such a degree, that they exhibited the entire shape of the leg.

When two black or two white stockings were held together, they would repel one another to a considerable distance; and when a white and black stocking were presented to each other, they would be mutually attracted, and rush together with great violence, joining as close as if they had been so many folds of silk; and in this case their electricity did not seem to have

been in the least impaired by the shock of meeting, for they would be again inflated, attract, repel, and rush together as before.

When this experiment was performed with two black stockings in one hand, and two white ones in the other, it exhibited a still more curious spectacle. The repulsion of those of the same colour, and the attraction of those of different colours, threw them into an agitation, and made each of them catch at the opposite colour in a way that was not unenterprising.

What was also very remarkable in these experiments, with a white and black stocking, was the power of electrical cohesion which they exhibited; Mr. Symmer having found that, when they were electrified and allowed to come together, they frequently stuck so close to each other, that it required a weight of sixteen or seventeen ounces to separate them, and this in a direction parallel to their surfaces.

When one of the stockings was turned inside out, it required twenty ounces to separate them; and by having the black stockings new dyed, and the white ones washed and whitened in the fumes of sulphur, and then putting them one within the other, it required three pounds three ounces to separate them.

Trying this experiment with stockings of a more substantial make, he found that, when the white stocking was put within the black one, so that its outside was contiguous to the inside of the other,

they raised near nine pounds; and when the white stocking was turned inside out, and put within the black one, so that their rough surfaces were contiguous, they raised fifteen pounds, which was ninety-two times the weight of the stockings. And in all these cases, he found that pressing them together with his hands contributed much to strengthen the cohesion.

When the white and black stockings were in cohesion, and another pair, more highly electrified, were separated from each other, and presented to the former, their cohesion would be dissolved, and each stocking of the second pair would catch hold of and carry away with it that of its opposite colour; but if the degree of electricity of both pairs were equal, the cohesion of the former would be weakened, but not dissolved, and all the four would cohere together in one mass.

Mr. Symmer also observed, that white and black silk, when electrified, not only cohered with each other, but would also adhere to bodies with broad, and even polished surfaces, though those bodies were not electrified. This he discovered, by throwing accidentally a stocking out of his hand, which stuck to the paper-hangings of the room; and which, in another experiment of this kind, continued hanging there for near an hour.

Having stuck up the black and white stockings in this manner, he came with another pair of stock-

ings, highly electrified, and applying the white to the black, and the black to the white, he carried them off from the wall, each of them hanging to that which had been brought to it. The same experiment also held with the painted boards of the room, and likewise with the looking-glass, to the smooth surface of which the white and black stockings appeared to adhere more tenaciously than to either of the former.

THE END.



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20



L

